

Samsung	SyncMaster S24C310 EAM	SyncMaster S24C360 EAM	SyncMaster F24T450 FZM	SyncMaster S24A400 UJM	SyncMaster S24E650DW	SyncMaster S27C310 EAM	SyncMaster S27C360 EAM	SyncMaster S27R650FDM F27T450FZM
Panel Size	23.8" 16:9	23.5" 16:9	23.6" 16:9	23.8" 16:9	24" 16:10	27" 16:9	27" 16:9	27" 16:9
Panel Type	IPS	VA Curved	IPS	IPS	AD-PLS	IPS	VA Curved	IPS
Pixel Pitch (mm)	0.275	0.2655	0.2715	0.275	0.270	0.311	0.311	0.311
Brightness	250	250	250	250	250	250	250	250
Contrast Ratio	1000:1	3000:1	1000:1	1000:1	1000:1	1000:1	3000:1	1000:1
Dynamic contrast	MEGA[∞] LED	MEGA[∞] LED	MEGA[∞] LED	MEGA[∞] LED	MEGA[∞] LED	MEGA[∞] LED	MEGA[∞] LED	MEGA[∞] LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	1920x1080	1920x1080	1920x1080	1920x1080	1920x1200	1920x1080	1920x1080	1920x1080
Input Signals	Analog VGA Digital HDMI	Analog VGA Digital HDMI	DisplayPort v1.2 2* HDMI v1.4	HDMI 1.4, USB Type-C DisplayPort 1.2	VGA, DVI DisplayPort	VGA, HDMI	VGA, HDMI	HDMI x2 DisplayPort
Integrated Speakers	-	Audio out	Audio out/ 2*2W	Audio out	-	-	Audio out	Audio out 2 W x 2
Video Response time Gray-to-gray (rice+fall)	5 ms	4 ms	5 ms	5 ms	4 ms	5 ms	4 ms	5 ms
Horizontal Scanning Frequency (kHz)	Analog: 30-93 Digital: 75Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 75Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 75Hz
Vertical ScanningkHz	75Hz	56-75	56-75	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)	3.15	4.0	4.0	5.2	5.8	4.8	4.4	4.6
Physical Dimensions WxHxD (mm)	539x425.3x232	548.6x419x205.7	539.2x370.9x233	544.5x324.8- 511.4x 182.9	553.7x386- 518x223.5	626.2x462.4x 247.7	622.9x462.5x 247.7	612.2x391.2- 521.2x223.5
Power Consumption	25 watts	25 watts	21 watts	33 watts	25 watts	25 watts	35 watts	20 watts
Casing Color	Black	Glossy Black	Black	Matte Black	Black	Black	Black	Black
Special Features	Tilt AMD FreeSync	External AC adapter AMD FreeSync	Pivot, Swivel Height Adjust. USB2.0 Hub	Pivot, Swivel Height Adjust. USB HUB, HDR+ PD 65W	Pivot, Swivel, Tilt, USB HUB Height Adj.	Tilt AMD FreeSync	Tilt, External Adaptor,	Pivot, Swivel Height Adjust. USB HUB
VESA (Wall mount)	100 x100	75 x 75	100 x100	100 x 100	+	100 x100	75 x 75	100 x 100
המחירים בש"ח כולל מע"מ להזמנות BGU								
	480	555	745	995	770	600	755	815

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבט, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	SyncMaster S27A400 UJM	SyncMaster S27A600 NWM	SyncMaster S27A600 UUM	Odyssey G3 S27AG320 NR	Odyssey G6 S27BG650 EM Smart	SyncMaster S27A804 NMM 4K	S27B800 PXP ViewInfinity S8	SyncMaster U28R550 UQP
Panel Size	27" 16:9	27" 16:9	27" 16:9	27" 16:9	27" 16:9	26.9" 16:9	27" 16:9	27.9" 16:9
Panel Type	PLS	PLS	PLS	VA Flat	VA Curved	IPS	IPS 4K	IPS 4K
Pixel Pitch (mm)	0.311	0.2331	0.2331	Quantum dot			0.155	Quantum dot
Brightness	250	350	350	250	350	300	350	300
Contrast Ratio	1000:1	1000:1	1000:1	3000:1	2500:1	1000:1	1000:1	1000:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	1920x1080	2560 x 1440	2560 x 1440	1920x1080	2560 x 1440	3840 x 2160	3840 x 2160	3840 x 2160
Input Signals	HDMI, USB Type-C DisplayPort Cs	HDMI, DisplayPort	HDMI, USB Type-C DisplayPort Cs	HDMI x2 DisplayPort VGA	HDMI v2.0 x2 DP v1.4 x1	DisplayPort v1.2 HDMI v1.4	HDMI 2.0 DisplayPort 1.4 USB Type-C	2*HDMI v2.0 DisplayPort
Integrated Speakers	Audio out	Audio out	Audio out	Audio out	Speakers	Audio out	Audio out	Audio out
Video Response time Gray-to-gray (rice+fall)	4 ms	4 ms	4 ms	1 ms	1 ms	5 ms	5 ms	4 ms
Horizontal Scanning Frequency (kHz)	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 165Hz	Analog: 30-93 Digital: 240Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81
Vertical Scanning kHz	56-75	56-75	56-75	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)					6.4		6.7	5.8
Physical Dimensions WxHxD					615.8x578.3x311		615.5x431.9 x196.4	638.8x479.3x 250.5
Power Consumption	33 watts	33 watts	33 watts			100W max	29.6 watts	41 watts
Casing Color	Matte Black	Matte Black	Matte Black	Black	Black	Black	Black silver	Black silver
Special Features	Pivot, Swivel Height Adjust. USB HUB PD 65W	Pivot, Swivel Height Adjust. PBP USB HUB	Pivot, Swivel Height Adjust. PBP, PD 90W USB HUB LAN 1Gbps	AMD FreeSync Pivot, Tilt Height Adjust.	AMD FreeSync Pivot, Swivel Height Adjust. HDR600 USB HUB	Pivot, Swivel Height Adjust. PIP/PBP. HDR10 USB HUB	Height Adjust. Pivot, Swivel, Tilt. PBP USB HUB, LAN Type-C PD 90W	AMD FreeSync PBP, PIP. Tilt 10-bit colors HDR10
VESA (Wall mount)	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100	75 x 75
המחירים בש"ח כולל מע"מ להזמנות BGU	 1210	 1530	 1815	 1075	 2620	 1820	 2420	 1420

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבע, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	Odyssey G7 S28BG700 EP Smart	SyncMaster C32R500 FHM	SyncMaster U32R591 CWP	M5 Smart S32CM50x EM B/W	Odyssey G6 S32BG650 EM Smart	SyncMaster S32A600 UUM	SyncMaster S32A804 NMU	Odyssey Neo G8 S32BG850 NP	M7 S32BM700 UM Smart	M8 S32BM801 UM Smart
Panel Size	28" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	32" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	32" 16:9
Panel Type	IPS 4K	VA Curved	VA Curved	VA Flat	VA Curved	VA Flat	VA Flat	VA Curved	VA Flat	VA Flat
Pixel Pitch (mm)	0.162	0.311	Quantum dot	0.311	QLED			Quantum dot		
Brightness	300(400)	300	250	250	350	270	300	350	300	400
Contrast Ratio	1000:1	3000:1	2500:1	3000:1	2500:1	3000:1	2500:1	10000:1	3000:1	3000:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	170°	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	160°	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	3840 x 2160	1920x1080	3840 x 2160	1920x1080	2560 x 1440	2560 x 1440	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160
Input Signals	HDMI v2.0 x1 DP v1.4 x2	VGA, HDMI	HDMI v2.0 DisplayPort 1.2	HDMI v1.4 x2	HDMI v2.1 x2 DisplayPort 1.4	HDMI x 2 DisplayPort USB Type-C	HDMI v2.0 DisplayPort 1.2	HDMI v2.1 x2 DisplayPort 1.4	HDMI v2.0 x2 USB Type-C	microHDMI USB Type-C
Integrated Speakers	Speakers Audio out	-	Audio out	Speakers	Speakers Audio out	Audio out	Audio out	Audio out	Speakers	Audio out
Video Response time Gray-to-gray (rice+fall)	1 ms MPRT	4 ms	4 ms	4 ms	1 ms MPRT	4 ms	4 ms	1 ms MPRT	4 ms	4 ms
Horizontal Scanning Frequency (Hz)	Digital: 144Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 240Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 240Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81
Vertical Scan kHz	56-75	56-75	56-75	56-75	56-75	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)	7.0		5.5	6.2	7.4		7.0	8.9	6.5	6.7
Physical Dimensions WxHxD	638x457x244.8		712.7x515x238	716.1x517.0x 193.5	713x606.2x 311.1		716.3x581.7x 210.8	713x606.4x 311.1	716.1x517x 193.5	713.4x575.2x 203.8
Power Consumption	78W max	32 watts	48 watts		120W max			74W max	53W	
Casing Color	Black	Glossy Black	White	0-Black 1-White	Black	Black	Black	Black -Silver	Black	Warm White
Special Features	Pivot, Swivel Height Adjust. NVIDIA G-sync FreeSync Pr Pro DisplayHDR400 HDR10+ WiFi BI	AMD FreeSync Tilt	PBP. Tilt	HDR10 Tilt -2°~+18° USB HUB	FreeSync PRO DisplayHDR600 HUB USB Height Adjust. Pivot, Swivel,Tilt	Pivot, Swivel Height Adjust. PIP/PBP HDR10 USB HUB LAN Type-C PD 90W	Pivot, Swivel Height Adjust. PIP/PBP HDR10 USB HUB	FreeSync PRO DisplayHDR2000 PIP, HUB USB Height Adjust. Pivot, Swivel,Tilt	Tilt USB HUB Type-C PD 65W	Slim design HDR10+ USB HUB Type-C PD 65W WEB Cam Height Adjust.
VESA (Wall mount)	100 x 100	75 x 75	75 x 75	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100
המחירים בש"ח כולל מע"מ להזמנות BGU	 3530	 1010	 1930	 1235	 3000	 2020	 2110	 6000	 1955	 3140

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבט, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	SyncMaster S32A804 NMU	Odyssey G5 C34G55T WWP	SyncMaster S34C500 GAM	ViewFinity S34C650 VAM	SyncMaster S34A654 UBP	Odyssey G8 S34BG850 SM Smart	M7 S43BM700 UM Smart	Odyssey Neo G7 S43CG700 NP Smart
Panel Size	31.5" 16:9	34" 21:9	34" 21:9	34" 21:9	34" 21:9	34" 21:9	43" 16:9	42.5" 16:9
Panel Type	VA Flat	VA Curved	VA Curved	VA Curved	VA Flat	VA Curved	VA Flat	VA Flat
Pixel Pitch (mm)		Quantum dot				OLED QDot	Mini LED	Mini LED
Brightness	300	300	300	300	300	250	300	400
Contrast Ratio	2500:1	3000:1	3000:1	3000:1	3000:1	1000000:1	5000:1	4250:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	3840 x 2160	3440 x 1440	3440 x 1440	3440 x 1440	3440 x 1440	3440 x 1440	3840 x 2160	3840 x 2160
Input Signals	HDMI v2.0 DisplayPort 1.2	HDMI v2.0 x1 DP v1.4 x1	HDMI *2 DisplayPort 1.2	HDMI DisplayPort USB Type-C	HDMI DisplayPort USB Type-C	microHDMI 2.1 miniDisplayPort USB Type-C *2	HDMI v2.1 *2 USB Type-C	HDMI v2.1 *2 DisplayPort 1.4
Integrated Speakers	Audio out	Audio out	Audio out	Speakers 5W Audio out	Audio out	Speakers	Speakers	Speakers 20W
Video Response time Gray-to-gray (rice+fall)	4 ms	1 ms MPRT	5 ms	5 ms	5 ms	0.03ms GTG	4 ms	1 ms
Horizontal Scanning Frequency (Hz)	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 165Hz	Analog: 30-93 Dig: up to 100	Analog: 30-93 Dig: up to 100	Analog: 30-93 Dig: up to 100	Analog: 30-93 Dig: 175Hz	Analog: 30-93 Digital: 30-60	Analog: 30-93 Dig: 144Hz
Vertical Scan kHz	56-75	56-75					56-75	56-75
Net Weight (Kg)	7.0	5.7	4.9kg	8.1kg	7.6kg	7.5kg	10.6	11.7
Physical Dimensions WxHxD	716.3x581.7x 210.8	710.1x536.6x 272.6	815.3x457.7 x221.3	807.7x561.4 x241.3	807.7x553.7 x233.7	813.6x522.3 x192.8	965.5x629.3 x247.2	960.8x635 x254.1
Power Consumption		59W max						
Casing Color	Black	Black	Black	Black	Black	Silver	Black	Black-White
Special Features	Pivot, Swivel Height Adjust. PIP/PBP HDR10 USB HUB	AMD FreeSync Tilt -2°~+18° PBP	Tilt PIP/PBP HDR10	KVM, WEB Cam Height Adjust. PIP/PBP HDR10 USB HUB LAN Type-C PD 90W	Pivot, Swivel Height Adjust. PIP/PBP HDR10 USB HUB LAN Type-C PD 90W	FreeSync PRO Type-C PD 65W Height Adjust. DisplayHDR True Black 400	Tilt, USB HUB Type-C PD 65W	USB3.0 Hub HDR600, AMD FreeSync Premium Pro
VESA (Wall mount)	100 x 100	75 x 75	100 x100	100 x100	100 x100	100 x100	200 x200	200 x200
המחירים בש"ח כולל מע"מ להזמנות BGU	 2110	 2030	 1830	 3230	 2840	 7000	 2300	 6370

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבע, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	Odyssey G9 C49CG954 EM Smart	S49AG950 NP Odyssey Neo	S49CG934 SP Odyssey G9	Odyssey Ark S55BG970 NM Smart	S57CG952 NM Smart Odyssey G9
Panel Size	48.7" 32:9	48.7" 32:9	48.7" 32:9	55" 16:9	57" 32:9
Panel Type	QD-OLED Curved	VA Curved	QD-OLED Curved	VA Curved	VA Curved
Pixel Pitch (mm)	Quantum Mini LED	OLED QDot	0.233 Quantum Mini LED	Quantum Mini LED	0.182 Quantum Mini LED
Brightness	250	420	250	420	600
Contrast Ratio	1000000:1	2000:1	1M:1	1000000:1	2500:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°
Maxx Resolution	5120 x 1440	5120 x 1440	5120 x 1440	3840 x 2160	7860 x 2160
Input Signals	2 * HDMI v2.1 DisplayPort 1.4	HDMI v2.1 *2 DisplayPort	HDMI v2.1 *2 DisplayPort 1.4	HDMI v2.1 *4	HDMI v2.1 *2 DisplayPort 2.1
Integrated Speakers	2 x 5W	- Audio out	2 x 5W Audio out	Speakers Audio out	- Audio out
Video Response time Gray-to-gray (rice+fall)	0.03ms GTG	1 ms	0.03ms	1 ms	1 ms
Horizontal Scanning Frequency (Hz)	Analog: 30-93 Dig: up 240Hz	Analog: 30-93 Dig: up 240Hz	Analog: 30-93 Dig: up 240Hz	Analog: 30-93 Dig: up 165Hz	Analog: 30-93 Dig: up 240Hz
Vertical Scan kHz	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)	12.9	14.6	12.9	41.5	15.4
Physical Dimensions WxHxD	1194.7x529.3 x236.9	1149.5x537.2 x418.3	1194.7x529.3 x236.9	1174.8x1102.0 x317	1327.5x429.5 x338.4
Power Consumption	113W max	55W	Up to 220W		
Casing Color	Silver	Dark Blue Gray	Silver	Black	
Special Features	USB3.0 Hub HDR1000, AMD FreeSync Premium Pro	Height Adj. Tilt. Swivel. USB3.0 PIP & PBP HDR2000, NVIDIA G-sync	Height Adj. Tilt. USB3.0 HUB PBP HDR400, 10+ FreeSync Prem.	Height Adj. Tilt. Pivot. USB3.0 HDR2000, 10+ FrS Prem. Pro	Height Adj. Tilt. Swivel. USB3.0 HDR1000, 10+ FreeSync Prem.
VESA (Wall mount)	100 x100	100 x100	100 x100	100 x100	100 x100
המחירים בש"ח כולל מע"מ להזמנות BGU					
	7060	9090	10000	13700	13700

Smart = include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבע, טל: 08-6285748 / 6233260 inf@infoservice.co.il