

Samsung	SyncMaster S24D300 GAM	SyncMaster S24C360 EAM	Business S24D458 GAM	SyncMaster S24A400 UJM	SyncMaster F24T454 GYR	SyncMaster S27D300 GAM	SyncMaster S27D362 GAM	SyncMaster F27T450FZM S27D408GAM	Odyssey G3 S27DG302 EM
Panel Size	23.8" 16:9	23.5" 16:9	23.6" 16:9	23.8" 16:9	24" 16:10	27" 16:9	27" 16:9	27" 16:9	27" 16:9
Panel Type	IPS	VA Curved	IPS	IPS	AD-PLS	IPS	VA Curved	IPS	VA Flat
Pixel Pitch (mm)	0.275	0.2655	0.2715	0.275	0.270	0.311	0.311	0.311	0.311
Brightness	250	250	250	250	250	250	250	250	250
Contrast Ratio	1000:1	3000:1	1000:1	1000:1	1000:1	1000:1	3000:1	1000:1	3000:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	1920x1080	1920x1080	1920x1080	1920x1080	1920x1200	1920x1080	1920x1080	1920x1080	1920x1080
Input Signals	Analog VGA Digital HDMI	Analog VGA Digital HDMI	DisplayPort v1.2 2* HDMI v1.4	HDMI 1.4 , USB Type-C DisplayPort 1.2	HDMI , DVI DisplayPort	VGA, HDMI	VGA, HDMI	HDMI x2 DisplayPort	HDMI 2.0 DisplayPort 1.4
Integrated Speakers	-	Audio out	Audio out	Audio out	Audio out	-	Audio out	Audio out	Audio out
Video Response time	5 ms	4 ms	5 ms	5 ms	4 ms	5 ms	4 ms	5 ms	1 ms MPRT
Gray-to-gray (rice+fall)									
Horizontal Scanning Frequency (kHz)	Analog: 30-93 Digital: 100Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 100Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 100Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 75Hz	Analog: 30-93 Digital: 180Hz
Vertical Scanning kHz	56-75	56-75	56-75	56-75	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)	2.4	4.0	3.5	5.2	5.8	4.8	3.9	4.6	4.4
Physical Dimensions WxHxD (mm)	541x428.5x175	548.6x419x205.7	541x498x218.5	544.5x324.8- 511.4x 182.9	553.7x386- 518x223.5	612.7x470x200.4	622.6x458.6x 214	612.2x391.2- 521.2x223.5	618.2x400.6x234
Power Consumption	25 watts	25 watts	21 watts	33 watts	25 watts	25 watts	35 watts	20 watts	35W
Casing Color	Black	Glossy Black	Black	Matte Black	Black	Black	Black	Black	Black
Special Features	Tilt 2/21° Eco Saving Plus	External AC adapter AMD FreeSync	Pivot, Swivel Height Adjust. USB2.0 Hub	Pivot, Swivel Height Adjust. USB HUB , HDR+ PD 65W	Pivot, Swivel, Tilt , USB HUB Height Adj.	Narrow borders Tilt 2/21° Eco Saving Plus	Narrow borders Tilt 2/21° Eco Saving Plus	Pivot, Swivel Height Adjust. USB HUB	AMD FreeSync Premium Pivot, Tilt Height Adjust. HDR10
VESA (Wall mount)	100 x100	75 x 75	100 x100	100 x 100	+	100 x100	75 x 75	100 x 100	100 x 100
המחירים בש"ח כולל מע"מ לאקדמיה	 455	 550	 620	 880	 Call	 545	 780	 725	 1040

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבע, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	ViewFinity S6 S27D600 UAU	ViewFinity S7 S27D706 EAM	ViewFinity S8 S27D800 EAU	ViewFinity S8 S27B800 PXP	Odyssey G5 S27CG552 EM	Odyssey G5 S27DG502 EM	Odyssey G6 S27BG650 EM Smart	Odyssey G6 S27DG602 SM	Odyssey G8 S27FG810 SM
Panel Size	27" 16:9	26.9" 16:9	26.9" 16:9	27" 16:9	27" 16:9	27" 16:9	27" 16:9	26.7" 16:9	26.7" 16:9
Panel Type	IPS	IPS 4K	IPS 4K	IPS 4K	VA Curved	IPS Flat	VA Curved	OLED	OLED Flat
Pixel Pitch (mm)	0.2331	0.151	0.151	0.155	0.233	0.233	0.233	0.229 Quantum Mini LED	0.229 Quantum Mini LED
Brightness	350	350	350	350	300	350	350	350	350
Contrast Ratio	1000:1	1000:1	1000:1	1000:1	2500:1	1000:1	2500:1	1000000:1	1000000:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	2560 x 1440	3840 x 2160	3840 x 2160	3840 x 2160	2560 x 1440	2560 x 1440	2560 x 1440	2560 x 1440	3840 x 2160
Input Signals	HDMI, USB Type-C DisplayPort Cs	HDMI 2.2 DisplayPort 1.4	HDMI 2.2 DisplayPort 1.4	HDMI 2.2 DisplayPort 1.4 USB Type-C	HDMI 2.0 DisplayPort 1.2	HDMI 2.0 DisplayPort 1.2	HDMI v2.0 x2 DisplayPort 1.4	HDMI v2.1 x2 DisplayPort 1.4	HDMI v2.1 x2 DisplayPort 1.4
Integrated Speakers	Audio out	Audio out	Audio out	Audio out	Audio out	Audio out	Speakers	Audio out	Audio out
Video Response time Gray-to-gray (rice+fall)	5 ms	5 ms	5 ms	5 ms	1 ms MPRT	1 ms	1 ms	0.03ms	0.03ms
Horizontal Scanning Frequency (Hz)	Digital: 100Hz	Digital: 60Hz	Digital: 60Hz	Digital: 60Hz	Digital: 165Hz	Digital: 180Hz	Digital: 240Hz	Digital: 360Hz	Digital: 240Hz
Vertical Scanning kHz	56-75	56-75	56-75	56-75	56-75	56-75	56-75	31-578	31-578
Net Weight (Kg)	6.1	5.0	6.1	6.7	4.1	6.4	6.4	6.9	6.9
Physical Dimensions WxHxD	613x556.6x220	612.9x473.2 x180	613x556.6x220	615.5x551.9 x196.4	616.6x477.4 x272.6	613x552x263.5	615.8x578.3x31 1	611.7x434.2 x263.5	612.2x553.7 x264.2
Power Consumption	20-160 watts	30-80 watts	30-80 watts	30-80 watts	40W	48W		31-140 watts	51-140 watts
Casing Color	Matte Black	Black	Black	Black	Black	Black	Black	Black	Black-Silver
Special Features	Pivot, Swivel, Height Adjust. PBP, PD 90W USB HUB, KVM LAN 1Gbps	Tilt. PIP/PBP HDR10	Pivot, Swivel, Height Adjust. Tilt. PIP/PBP HDR10	Pivot, Swivel, Height Adjust. Tilt. PIP/PBP HDR10 USB HUB, LAN Type-C PD 90W	AMD FreeSync Tilt HDR10	AMD FreeSync Pivot, Tilt, Swivel Height Adjust. DisplayHDR400	AMD FreeSync Pivot, Swivel Height Adjust. HDR600 USB HUB	AMD FreeSync Premium Pro Pivot, Swivel Height Adjust. HDR10+ USB HUB	AMD FreeSync Premium Pro Pivot, Swivel Height Adjust. DisplayHDR400 USB HUB, PIP
VESA (Wall mount)	100 x 100	100 x 100	100 x 100	100 x 100	75 x 75	100 x 100	100 x 100	100 x 100	100 x 100
המחירים בש"ח כולל מע"מ									
	1660	1450	1660	2180	1245	1350	2270	4950	5460

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבט, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	Odyssey G7 S28BG700 EP Smart	SyncMaster C32R500 FHP	M5 Smart S32DM50x EM B/W	Odyssey G3 S32DG302 EM	Odyssey G5 S32CG552 EM	ViewFinity S6 S32A602 NAM	ViewFinity S7 S32D701 EAU	ViewFinity S8 S32D800 EAU	ViewFinity S8 S32D800 UBM	ViewFinity S8 S32B800 PXP
Panel Size	27.9" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9
Panel Type	IPS	VA Curved	VA Flat	VA Flat	VA Curved	VA Flat	VA Flat	VA Flat	IPS	IPS
Pixel Pitch (mm)	0.162	0.364	0.364	0.364	0.233				0.155	0.155
Brightness	300(400)	300	250	250	300	300	350	350	350	350
Contrast Ratio	1000:1	3000:1	3000:1	3000:1	2500:1	3000:1	3000:1	3000:1	1000:1	1000:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	170°	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	160°	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	3840 x 2160	1920x1080	1920x1080	1920x1080	2560 x 1440	2560 x 1440	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160
Input Signals	HDMI v2.0 x1 DP v1.4 x2	VGA, HDMI	HDMI v1.4 x2	HDMI 2.0 DisplayPort 1.4	HDMI 2.0 DisplayPort 1.2	HDMI x 2 DisplayPort	HDMI DisplayPort	HDMI DisplayPort	HDMI 2.0 DisplayPort 1.4 USB Type-C	HDMI 2.0 DisplayPort 1.4 USB Type-C
Integrated Speakers	Speakers Audio out	-	Speakers	Audio out	Audio out	Audio out	Audio out	Audio out	Audio out	Audio out
Video Response time Gray-to-gray (rice+fall)	1 ms MPRT	4 ms	4 ms	1 ms MPRT	1 ms MPRT	4 ms	5 ms	5 ms	5 ms	5 ms
Horizontal Scanning Frequency (Hz)	Digital: 144Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 180Hz	Digital: 165Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81
Vertical Scan kHz	56-75	56-75	56-75	56-75	56-75	60	60	60	60	60
Net Weight (Kg)	7.0		6.2	5.6	5.2	6.9	6.9	6.9	5.85	7.5
Physical Dimensions WxHxD	638x457x244.8		716.1x517.0x 193.5	719.2x477.4 x248.8	710.1x533.6 x272.6	716.3x580.4x 211.3	713.9x501.6 x180	713.9x585x 220	713.9x585x 220	716.1x580.4x21 1.4
Power Consumption	78W max	32 watts		48W max	59W		31-100W	31-130W	31-130W	29.6 watts
Casing Color	Black	Glossy Black	0-Black 1-White	Black	Black	Black	Warm White	Black	Black	Black silver
Special Features	Pivot, Swivel Height Adjust. NVIDIA G-sync FreeSync Pr Pro DisplayHDR400 HDR10+ WiFi BI	AMD FreeSync Tilt	HDR10 Tilt -2°~+18° USB HUB	AMD FreeSync Premium Pivot, Tilt Height Adjust. HDR10	AMD FreeSync Tilt HDR10	Pivot, Swivel Height Adjust. PIP/PBP HDR10 USB HUB	Tilt PIP/PBP, HDR10 USB HUB	Pivot, Swivel Height Adjust. PIP/PBP USB HUB	Pivot, Swivel Height Adjust. PIP/PBP USB HUB, LAN Type-C PD 90W	Height Adjust. Pivot, Swivel, Tilt. PBP, PiP USB HUB, LAN Type-C PD 90W
VESA (Wall mount)	100 x 100	75 x 75	100 x 100	100 x 100	75 x 75	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100
המחירים בש"ח כולל מע"מ	 2800	 1040	 1245	 1275	 1455	 1455	 1870	 1970	 2100	 2790

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבע, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	Odyssey G6 S32BG650 EM Smart	Odyssey Neo G8 S32BG850 NP	Odyssey G8 S32DG802 SM Smart	Odyssey G8 S32FG810 SM	M8 S32BM801 UM Smart	Odyssey G5 C34G55T WWP	ViewFinity S5 S34C500 GAM	ViewFinity S6 S34C650 UAM	ViewFinity S6 S34C650 VAM
Panel Size	32" 16:9	31.5" 16:9	31.5" 16:9	31.5" 16:9	32" 16:9	34" 21:9	34" 21:9	34" 21:9	34" 21:9
Panel Type	VA Curved	VA Curved	OLED Flat	OLED Flat	VA Flat	VA Curved	VA Curved	VA Curved	VA Curved
Pixel Pitch (mm)	QLED	Quantum dot	0.182 Quantum Mini LED	0.181 Quantum Mini LED		Quantum dot	0.232	0.232	0.232
Brightness	350	350	250	250	400	300	300	300	300
Contrast Ratio	2500:1	100000:1	1000000:1	1000000:1	3000:1	3000:1	3000:1	3000:1	3000:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	2560 x 1440	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3440 x 1440	3440 x 1440	3440 x 1440	3440 x 1440
Input Signals	HDMI v2.1 x2 DisplayPort 1.4	HDMI v2.1 x2 DisplayPort 1.4	HDMI v2.1 x2 DisplayPort 1.4	HDMI v2.1 x2 DisplayPort 1.4	microHDMI USB Type-C	HDMI v2.0 x1 DP v1.4 x1	HDMI *2 DisplayPort 1.2	HDMI DisplayPort USB Type-C	HDMI DisplayPort USB Type-C
Integrated Speakers	Speakers Audio out	Audio out	Speakers 10W	Audio out	Audio out	Audio out	Audio out	Speakers 5W Audio out	Speakers 5W Audio out
Video Response time Gray-to-gray (rice+fall)	1 ms MPRT	1 ms MPRT	0.03ms	0.03ms	4 ms	1 ms MPRT	5 ms	5 ms	5 ms
Horizontal Scanning Frequency (Hz)	Analog: 30-93 Digital: 240Hz	Analog: 30-93 Digital: 240Hz	Digital: 240Hz	Digital: 240Hz	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 165Hz	Analog: 30-93 Dig: up to 100	Analog: 30-93 Dig: up to 100	Analog: 30-93 Dig: up to 100
Vertical Scan kHz	56-75	56-75	31-578	31-578	56-75	56-75			
Net Weight (Kg)	7.4	8.9	8.4	8.4	6.7	5.7	4.9kg	8.1kg	8.1kg
Physical Dimensions WxHxD	713x606.2x 311.1	713x606.4x 311.1	719.7x584.6 x263.5	719.7x584.6 x263.5	713.4x575.2x 203.8	710.1x536.6x 272.6	815.3x457.7 x221.3	807.7x561.4 x241.3	807.7x561.4 x241.3
Power Consumption	120W max	74W max	180 watts	51-140 watts		59W max			
Casing Color	Black	Black -Silver	Silver	Silver	Warm White	Black	Black	Black	Black
Special Features	FreeSync PRO DisplayHDR600 HUB USB Height Adjust. Pivot, Swivel,Tilt	FreeSync PRO DisplayHDR2000 PIP, HUB USB Height Adjust. Pivot, Swivel,Tilt	NVIDIA G-sync FreeSync Prem Pro Pivot, Swivel Height Adjust. HDMI10+ USB HUB	NVIDIA G-sync FreeSync Prem Pro Pivot, Swivel Height Adjust. DisplayHDR400 USB HUB	HDMI10+ USB HUB Type-C PD 65W WEB Cam Height Adjust.	AMD FreeSync Tilt -2°~+18° PBP	Tilt PIP/PBP HDMI10	Height Adjust. PIP/PBP HDMI10 USB HUB LAN Type-C PD 90W	WEB Cam 5Mp Height Adjust. PIP/PBP HDR10 USB HUB LAN Type-C PD 90W
VESA (Wall mount)	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100	75 x 75	100 x100	100 x100	100 x100
המחירים בש"ח כולל מע"מ	 2900	 5180	 6650	 6350	 3300	 1870	 1660	 2580	 3000

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבע, טל: 08-6285748 / 6233260 inf@infoservice.co.il

Samsung	ViewFinity S6 S34C650 TAM	Odyssey G8 S34DG852 SM Smart	M7 S43DM702/3 UM Smart	ViewFinity S9 S49C950 UAM	Odyssey G9 S49FG910 EM	Odyssey G9 S49CG954 EM	Odyssey G9 S49DG932 SM	Odyssey G9 S57CG952 NM
Panel Size	34" 21:9	34" 21:9	43" 16:9	48.7" 32:9	48.7" 32:9	48.7" 32:9	49" 32:9	57" 32:9
Panel Type	VA Curved	OLED Curved	VA Flat	VA Curved	VA Curved	VA Curved	QDOLED Curved	VA Curved
Pixel Pitch (mm)	0.232	0.232 QDot	Mini LED		Mini LED	Mini LED	0.233 Quantum Mini LED	0.182 Quantum Mini LED
Brightness	350	250	300	350	350	450	250	420
Contrast Ratio	3000:1	1000000:1	5000:1	3000:1	2500:1	2500:1	1M:1	2500:1
Dynamic contrast	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED	MEGA∞ LED
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	3440 x 1440	3440 x 1440	3840 x 2160	5120 x 1440	5120 x 1440	5120 x 1440	5120 x 1440	7860 x 2160
Input Signals	HDMI DisplayPort 2*Thunderbolt4	HDMI v2.1 x2 DisplayPort 1.4	HDMI v2.0 *2 USB Type-C	2 * HDMI v2.2 DisplayPort 1.4 USB Type-C	2 * HDMI v2.1 DisplayPort 1.4	2 * HDMI v2.1 DisplayPort 1.4	HDMI v2.1 microHDMI DisplayPort	HDMI v2.1 *3
Integrated Speakers	Speakers 5W Audio out	Speakers 2*5W	Speakers 20W	2 x 5W Audio out	- Audio out	- Audio out	- Audio out	- Audio out
Video Response time Gray-to-gray (rice+fall)	5 ms	0.4ms	4 ms	5 ms	1 ms	1 ms	0.03ms	1 ms
Horizontal Scanning Frequency (Hz)	Analog: 30-93 Dig: up to 100	Analog: 30-93 Dig: 175Hz	Analog: 30-93 Digital: 30-60	Analog: 30-93 Dig: up 120Hz	Analog: 30-93 Dig: up 144Hz	Analog: 30-93 Dig: up 240Hz	Analog: 30-93 Dig: up 240Hz	Analog: 30-93 Dig: up 240Hz
Vertical Scan kHz		96-285	56-75	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)	8.1kg	7.5kg	10.6	15.6	12.9	12.9	12.9	19
Physical Dimensions WxHxD	807.7x561.4 x241.3	813.6x522.3 x192.8	965.5x629.3 x247.2	1147.6x568.4 x420.5	1147.6x568.4 x420.5	1147.6x568.4 x420.5	1194.7x529.3 x284.1	1327.5x601 x499.6
Power Consumption		50W	210W max	113W max	180W max	180W max	220W max	59W
Casing Color	White	Silver	2 -Black, 3-White	Black	Black	Black	Silver	Black front /White
Special Features	Height Adjust. PIP/PBP HDR10 USB HUB LAN Type-C PD 90W	AMD FreeSync Premium Pro Height Adjust. DisplayHDR400 HUB USB PIP PBP	Tilt, USB HUB Type-C PD 65W	Height Adj. Tilt. Swivel. USB3.0 DisplayHDR400 Type-C PD 90W PIP & PBP, KVM	Height Adj. Tilt. Swivel. USB3.0 HDR600 PIP & PBP AMD FreeSync Premium Pro	Height Adj. Tilt. Swivel. USB3.0 HDR1000, PIP & PBP AMD FreeSync Premium Pro	Height Adj. Tilt. USB-C Hub PIP & PBP HDR10+ NVIDIA G-sync FreeSync Prem Pro	Height Adj. Tilt. Swivel. USB3.0 HDR1000, 10+ AMD FreeSync Premium Pro PIP & PBP, KVM
VESA (Wall mount)	100 x100	100 x100	200 x200	100 x100	100 x100	100 x100	100 x100	100 x100
המחירים בש"ח כולל מע"מ	 3720	 5380	 2390	 5850	 5180	 6530	 7250	 11350

Smart – include computer with Tizen OS, WiFi & Bluetooth. Viewing experience with embedded TV (HOT, Cellcom, Partner, Netflix, Amazon Prime ...)

רח' יהודה הנחתום 12 באר-שבט, טל: 08-6285748 / 6233260 inf@infoservice.co.il